PRINTED: 07/20/2010 FORM APPROVED

Division of Health Care Facilities (X3) DATE SURVEY STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA (X2) MULTIPLE CONSTRUCTION COMPLETED AND PLAN OF CORRECTION **IDENTIFICATION NUMBER:** A. BUILDING C B. WING_ 07/15/2010 TN8206 STREET ADDRESS, CITY, STATE, ZIP CODE NAME OF PROVIDER OR SUPPLIER 250 BELLEBROOK RD CAMBRIDGE HOUSE, THE BRISTOL, TN 37620 (X5) COMPLETE DATE PROVIDER'S PLAN OF CORRECTION (X4) ID PREFIX SUMMARY STATEMENT OF DEFICIENCIES (EACH CORRECTIVE ACTION SHOULD BE (EACH DEFICIENCY MUST BE PRECEDED BY FULL PREFIX CROSS-REFERENCED TO THE APPROPRIATE REGULATORY OR LSC IDENTIFYING INFORMATION) TAG TAG **DEFICIENCY**) N 000 N 000 Initial Comments During a complaint investigation at The Cambridge House on July 15, 2010, no deficiencies were cited under 1200-8-6, Standards for Nursing Homes. C/0: #25411, #25822, #25909, #26040

Division of Health Care Facilities

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE